

Message

---

**From:** McClure, Linda (IDEM) [lmcclure@idem.IN.gov]  
**Sent:** 8/4/2017 12:04:37 PM  
**To:** Cullen, Raymond [cullen.raymond@epa.gov]  
**Subject:** RE: ArcelorMittal

Hi Ray,

Yes, I have ArcelorMittal. A draft proposed Agreed Oder was sent to EPA and Tom Krueger provided comments on August 1<sup>st</sup>. To date, the draft PAO has not been sent to ArcelorMittal. Paul Higginbotham spoke to ArcelorMittal yesterday afternoon regarding if they want Outfalls 009 and 010 added to the PAO. I have not heard from my Section Chief on the outcome of the call.

Thanks,

Linda L. McClure  
Senior Environmental Manager  
Indiana Department of Environmental Management  
Office of Water Quality - Enforcement Section  
100 North Senate Avenue  
IGCN 1255, MC-60-02W  
Indianapolis, Indiana 46204  
Tele: 317.234.4354  
[lmcclure@idem.in.gov](mailto:lmcclure@idem.in.gov)

---

**From:** Cullen, Raymond [mailto:cullen.raymond@epa.gov]  
**Sent:** Thursday, August 03, 2017 14:53  
**To:** McClure, Linda (IDEM) <lmcclure@idem.IN.gov>  
**Subject:** ArcelorMittal

\*\*\*\* This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. \*\*\*\*

---

Hi, Linda. You're the contact for the ArcelorMittal Order, right? Would you please tell me where this is currently at? Has IDEM already shared it with the company?

Thanks,

Ray Cullen, Environmental Engineer  
U.S. EPA Region 5  
Water Enforcement and Compliance Assurance Branch  
Phone: (312) 886-0538